

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17940	((simultaneous\$2 or parallel or concurrent\$2) near (chang\$2 or edit or modif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 10:56
L2	4483	(password or signed or login or authoriz\$5) near (chang\$2 or edit or modif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:20
L3	61	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:20
L4	231336	((form near document) or template or application) with (chang\$3 or edit\$4 or modif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:32
L5	41	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:22
L6	24	5 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:37
L7	232230	((form near document) or template or application or spreadsheet) with (chang\$3 or edit\$4 or modif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:25
L8	24	7 and 3 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:26

L9	4278	((authoriz\$5 or login or password) near (chang\$2 or edit or modif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:40
L10	58	1 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:36
L11	38	10 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:41
L12	24	7 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:37
L13	23	7 and 11 and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:37
L14	2642	((logon or login or password) near (chang\$2 or edit or modif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:40
L15	31	1 and 14 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:44
L16	31	1 and 14 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 10:57

L17	17	(conflict\$3 with shar\$3) and 14 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 10:58
L18	18919	(simultaneous\$2 or parallel or concurrent\$2) near access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 10:56
L19	51	18 and 14 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 11:00
L20	14	(conflict\$3 with shar\$3) and 19 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 10:59
L21	15	(version with control\$4) and 19 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 10:59
L22	1	(version with monitor\$3) and 19 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 11:00
S1	2	"804034".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:21
S2	2	("6240414").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:24

S3	2	("6006239").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:58
S4	17940	((simultaneous\$2 or parallel or concurrent\$2) near (chang\$2 or edit or modif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:59
S5	16081	(password or signed or login or authoriz\$5) near access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:00
S6	116	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:00
S7	4483	(password or signed or login or authoriz\$5) near (chang\$2 or edit or modif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:08
S8	25	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:00
S9	12	S8 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:22
S10	40	S4 and S7 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:08

S11	0	S10 and (707/200).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:03
S12	942566	(form or template or application) with (chang\$3 or edit\$4 or modif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:21
S13	0	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:04
S14	0	S11 and (form or template or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:04
S15	29	S10 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:04
S16	18435	(password or signed or login or authoriz\$5) with (chang\$2 or edit or modif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:09
S17	227	S16 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:09
S18	163	S17 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:09

S19	116	S18 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:10
S20	54	S19 and (detect\$3 with chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:10
S21	56	S19 and (detect\$3 with (chang\$3 or edit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:32
S22	0	S21 and (common near database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:11
S23	6	S21 and (common with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:12
S24	2	("6947942").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:12
S25	1	"6647393".PN.	USPAT; USOCR	OR	OFF	2005/11/17 16:20
S26	7	S21 and ((form or templat\$3) near document\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:33
S27	14	S21 and ((form or templat\$3) with document\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 09:20



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

concurrent access password (form or template or spreadsheet)



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

concurrent access password form or template or spreadsheet detect change edit

Found 51,990 of 166,357

Sort results by



[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

Full text available: [pdf\(4.21 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [Personal distributed computing: the Alto and Ethernet software](#)

Butler Lampson

January 1986 **Proceedings of the ACM Conference on The history of personal workstations**

Publisher: ACM Press

Full text available: [pdf\(3.00 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The personal distributed computing system based on the Alto and the Ethernet was a major effort to make computers help people to think and communicate. The paper describes the complex and diverse collection of software that was built to pursue this goal, ranging from operating systems, programming environments, and communications software to printing and file servers, user interfaces, and applications such as editors, illustrators, and mail systems.

3 [Lowering the barriers to programming: A taxonomy of programming environments and languages for novice programmers](#)

Caitlin Kelleher, Randy Pausch

June 2005 **ACM Computing Surveys (CSUR)**, Volume 37 Issue 2

Publisher: ACM Press

Full text available: [pdf\(14.21 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Since the early 1960's, researchers have built a number of programming languages and environments with the intention of making programming accessible to a larger number of

people. This article presents a taxonomy of languages and environments designed to make programming more accessible to novice programmers of all ages. The systems are organized by their primary goal, either to teach programming or to use programming to empower their users, and then, by each system's authors' approach, to makin ...

Keywords: Human-computer interaction, computer Science education, learning, literacy, problem solving

4 IS '97: model curriculum and guidelines for undergraduate degree programs in information systems



Gordon B. Davis, John T. Gorgone, J. Daniel Couger, David L. Feinstein, Herbert E. Longenecker

December 1996 **ACM SIGMIS Database , Guidelines for undergraduate degree programs on Model curriculum and guidelines for undergraduate degree programs in information systems IS '97**, Volume 28 Issue 1

Publisher: ACM Press

Full text available: pdf(7.24 MB) Additional Information: [full citation](#), [citations](#)



5 Optimistic replication



Yasushi Saito, Marc Shapiro

March 2005 **ACM Computing Surveys (CSUR)**, Volume 37 Issue 1

Publisher: ACM Press

Full text available: pdf(656.72 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Data replication is a key technology in distributed systems that enables higher availability and performance. This article surveys optimistic replication algorithms. They allow replica contents to diverge in the short term to support concurrent work practices and tolerate failures in low-quality communication links. The importance of such techniques is increasing as collaboration through wide-area and mobile networks becomes popular. Optimistic replication deploys algorithms not seen in tradition ...

Keywords: Replication, disconnected operation, distributed systems, large scale systems, optimistic techniques



6 An annotated bibliography of computer supported cooperative work



Saul Greenberg

July 1991 **ACM SIGCHI Bulletin**, Volume 23 Issue 3

Publisher: ACM Press

Full text available: pdf(4.27 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Computer-supported cooperative work (CSCW) is a new multi-disciplinary field with roots in many disciplines. Due to the area's youth and diversity, few specialized books or journals are available, and articles are scattered amongst diverse journals, proceedings and technical reports. Building a CSCW reference library is particularly demanding, for it is difficult for the new researcher to discover relevant documents. To aid this task, this article compiles, lists and annotates some of the curren ...



7 Special issue: AI in engineering



D. Sriram, R. Joobhani




April 1985 **ACM SIGART Bulletin**, Issue 92





Publisher: ACM Press






Full text available:  [pdf\(8.79 MB\)](#) Additional Information: [full citation](#), [abstract](#)

The papers in this special issue were compiled from responses to the announcement in the July 1984 issue of the SIGART newsletter and notices posted over the ARPAnet. The interest being shown in this area is reflected in the sixty papers received from over six countries. About half the papers were received over the computer network.




- 8 [Frontmatter \(TOC, Letters, Election results, Software Reliability Resources!, Computing Curricula 2004 and the Software Engineering Volume SE2004, Software Reuse Research, ICSE 2005 Forward\)](#)  
 July 2005 **ACM SIGSOFT Software Engineering Notes**, Volume 30 Issue 4
Publisher: ACM Press
 Full text available:  [pdf\(6.19 MB\)](#) Additional Information: [full citation](#)



- 9 [Computing curricula 2001](#)  
 September 2001 **Journal on Educational Resources in Computing (JERIC)**
Publisher: ACM Press
 Full text available:  [pdf\(613.63 KB\)](#)  [html\(2.78 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 10 [Task based groupware design: putting theory into practice](#)  
 Gerrit van der Veer, Martijn van Welie
 August 2000 **Proceedings of the conference on Designing interactive systems: processes, practices, methods, and techniques**
Publisher: ACM Press
 Full text available:  [pdf\(599.49 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Designing Groupware systems requires methods and tools that cover all aspects of Groupware systems. We present a method that utilizes known theoretical insights and makes them usable in practice. In our method, the design of Groupware systems is driven by an extensive task analysis followed by structured design and iterative evaluation using usability criteria. Using a combination of multiple complementary representations and techniques, a wide range of aspects of Groupware design is covered ...

Keywords: DUTCH, EUTERPE, GTA, design method, groupware, task analysis, tools

- 11 [Frontmatter \(TOC, Letters, Philosophy of computer science, Interviewers needed, Taking software requirements creation from folklore to analysis, SW components and product lines: from business to systems and technology, Software engineering survey\)](#)  
 September 2005 **ACM SIGSOFT Software Engineering Notes**, Volume 30 Issue 5
Publisher: ACM Press
 Full text available:  [pdf\(1.98 MB\)](#) Additional Information: [full citation](#)

- 12 [Data base directions: the next steps](#)  
 John L. Berg
 November 1976 **ACM SIGMOD Record , ACM SIGMIS Database**, Volume 8 , 8 Issue 4 , 2


Publisher: ACM Press

Full text available:  pdf(9.95 MB) Additional Information: [full citation](#), [abstract](#)

What information about data base technology does a manager need to make prudent decisions about using this new technology? To provide this information the National Bureau of Standards and the Association for Computing Machinery established a workshop of approximately 80 experts in five major subject areas. The five subject areas were auditing, evolving technology, government regulations, standards, and user experience. Each area prepared a report contained in these proceedings. The proceedings p ...


Keywords: DBMS, auditing, cost/benefit analysis, data base, data base management, government regulation, management objectives, privacy, security, standards, technology assessment, user experience

13 [Tools and approaches for developing data-intensive Web applications: a survey](#)

 Piero Fraternali

September 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 3


Publisher: ACM Press

Full text available:  pdf(524.80 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The exponential growth and capillar diffusion of the Web are nurturing a novel generation of applications, characterized by a direct business-to-customer relationship. The development of such applications is a hybrid between traditional IS development and Hypermedia authoring, and challenges the existing tools and approaches for software production. This paper investigates the current situation of Web development tools, both in the commercial and research fields, by identifying and characte ...


Keywords: HTML, Intranet, WWW, application, development

14 [Integrating pointer variables into one-way constraint models](#)

 Brad Vander Zanden, Brad A. Myers, Dario A. Giuse, Pedro Szekely

June 1994 **ACM Transactions on Computer-Human Interaction (TOCHI)**, Volume 1 Issue 2


Publisher: ACM Press

Full text available:  pdf(3.71 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Pointer variables have long been considered useful for constructing and manipulating data structures in traditional programming languages. This article discusses how pointer variables can be integrated into one-way constraint models and indicates how these constraints can be usefully employed in user interfaces. Pointer variables allow constraints to model a wide array of dynamic application behavior, simplify the implementation of structured objects and demonstrational systems, and improve ...


Keywords: Garnet, constraints, development tools, incremental algorithms

15 [Client-server computing in mobile environments](#)

 Jin Jing, Abdelsalam Sumi Helal, Ahmed Elmagarmid

June 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 2

Publisher: ACM Press

Full text available:  pdf(233.31 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Recent advances in wireless data networking and portable information appliances have

engendered a new paradigm of computing, called mobile computing, in which users carrying portable devices have access to data and information services regardless of their physical location or movement behavior. In the meantime, research addressing information access in mobile environments has proliferated. In this survey, we provide a concrete framework and categorization of the various way ...

Keywords: application adaptation, cache invalidation, caching, client/server, data dissemination, disconnected operation, mobile applications, mobile client/server, mobile computing, mobile data, mobility awareness, survey, system application

16 Data integration and sharing II: Scientific data repositories: designing for a moving target



Etzard Stolte, Christoph von Praun, Gustavo Alonso, Thomas Gross

June 2003 **Proceedings of the 2003 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available: pdf(739.27 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Managing scientific data warehouses requires constant adaptations to cope with changes in processing algorithms, computing environments, database schemas, and usage patterns. We have faced this challenge in the RHESSI Experimental Data Center (HEDC), a datacenter for the RHESSI NASA spacecraft. In this paper we describe our experience in developing HEDC and discuss in detail the design choices made. To successfully accommodate typical adaptations encountered in scientific data management systems ...

17 The envoy framework: an open architecture for agents



Murugappan Palaniappan, Nicole Yankelovich, George Fitzmaurice, Anne Loomis, Bernard Haan, James Coombs, Norman Meyrowitz

July 1992 **ACM Transactions on Information Systems (TOIS)**, Volume 10 Issue 3

Publisher: ACM Press

Full text available: pdf(2.47 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Envoy Framework addresses a need for computer-based assistants or agents that operate in conjunction with users' existing applications, helping them perform tedious, repetitive, or time-consuming tasks more easily and efficiently. Envoys carry out missions for users by invoking envoy-aware applications called operatives and inform users of mission results via envoy-aware applications called informers. The distributed, open architecture developed for Envoys is derived from an analysis of ...

Keywords: application programmer interface, user agent

18 A fine-grained access control system for XML documents



Ernesto Damiani, Sabrina De Capitani di Vimercati, Stefano Paraboschi, Pierangela Samarati

May 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5

Issue 2

Publisher: ACM Press

Full text available: pdf(330.60 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Web-based applications greatly increase information availability and ease of access, which is optimal for public information. The distribution and sharing of information via the Web that must be accessed in a selective way, such as electronic commerce transactions, require the definition and enforcement of security controls, ensuring that information will be accessible only to authorized entities. Different approaches have been proposed that

address the problem of protecting information in a Web ...

Keywords: Access control, World Wide Web, XML documents, authorizations specification and enforcement

19 Evolution of Data-Base Management Systems



James P. Fry, Edgar H. Sibley

January 1976 **ACM Computing Surveys (CSUR)**, Volume 8 Issue 1

Publisher: ACM Press

Full text available: [pdf\(2.63 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



20 Cyc: toward programs with common sense



Douglas B. Lenat, R. V. Guha, Karen Pittman, Dexter Pratt, Mary Shepherd

August 1990 **Communications of the ACM**, Volume 33 Issue 8

Publisher: ACM Press

Full text available: [pdf\(3.98 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)



Cyc is a bold attempt to assemble a massive knowledge base (on the order of 108 axioms) spanning human consensus knowledge. This article examines the need for such an undertaking and reviews the authos' efforts over the past five years to begin its construction. The methodology and history of the project are briefly discussed, followed by a more developed treatment of the current state of the representation language used (epistemological level), techniques for efficient ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((concurrent access password edit)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.


Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE ...

[Sign in](#)



Web Results 1 - 10 of about **142** for **concurrent access password edit template "detect changes" "software application" form d...**

[report_writer_evaluation](#)

... **Access** can handle up to 250 **concurrent** users. ... a report can be hidden; It controls **access** itself; ... cannot maintain the **password**; can integrate with active directory ...
bristol.ac.uk/is/projects/ report_writers/report_writer_evaluation - 101k - Supplemental Result -
[Cached](#) - [Similar pages](#)

[PDF] [SealedMedia: Core Technology White Paper](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
user, and another that grants **access** to an individual **document**, ... These licenses are configured in **template form** by the originator which are referred ...
www.sealedmedia.com/products/wp_core_technology.pdf - [Similar pages](#)

[IBM: Developer products for Linux on IBM eServer zSeries mainframe ...](#)

It supports PDF **forms templates** and offers high compression to reduce file size.
... Reviewers can **access PDF documents** in a browser and apply comments ...
www.ibm.com/servers/eserver/zseries/solutions/s390da/linuxproduct.html - 513k - [Cached](#) - [Similar pages](#)

[iSeries Network](#)

The correction feature, called **Concurrent Audit Concurrent Heal (CACHE2)**, ...
Using Quadrant's Formtastic e-forms solution and the VICS BOL **template**, ...
www.iseriesnetwork.com/artarchive/index.cfm?fuseaction=ListArticlesByDept&departmentID=107 - 242k -
[Cached](#) - [Similar pages](#)

[report_writer_evaluation](#)

Microsoft contends that **Access** can handle up to 250 **concurrent** Users. ... If a table name changes, **Access 2000** tries to change The queries, **Forms** and ...
www.bris.ac.uk/ips-projects/datahub/ report_writers/report_writer_evaluation - 110k - Supplemental Result -
[Cached](#) - [Similar pages](#)

[Google-Software.com: Software listed at Google Adwords program and ...](#)

Jam-packed with features to create uncrackable **passwords**, **access** codes, accounts, PINs, ... You can also modify any layout **template**, resize and **edit** images, ...
google-software.com/a-z/r.htm - 481k - [Cached](#) - [Similar pages](#)

[GAO-04-321, Technology Assessment: Cybersecurity for Critical ...](#)

Such guidance could be in the **form** of risk assessment **templates** that cover key ... In **concurrent access**, systems at both sites are concurrently updating the ...
www.gao.gov/htext/d04321.html - 506k - [Cached](#) - [Similar pages](#)

[PDF] [wire.arc.nasa.gov/center_involvement/WIRe_Report_A...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Supplemental Result - [Similar pages](#)

[PDF] [wire.arc.nasa.gov/test_evaluation_tech/WIRe_Report...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Supplemental Result - [Similar pages](#)

(PDF) T 6 U ' G

File Format: PDF/Adobe Acrobat - [View as HTML](#)

and No post production **Editing**. Instructors can teach in their own style and at their ... be able to Create Quizzes Using Tegrity pre-defined quiz **templates** ...


www.worwic.cc.md.us/Admin/files/faculty_resources/files/tegrity/Tegrity%206%20Users%20Guide_Final.pdf -

Supplemental Result - [Similar pages](#)

Try searching for **concurrent access password edit template "detect changes" "software application" form document** on Google Book Search

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

concurrent access password edit te [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google